

# AIDS, Surgery, and the Americans With Disabilities Act

Amir Halevy, MD

**T**he acquired immunodeficiency syndrome and human immunodeficiency virus have had a major impact on the practice of medicine in the past 2 decades. Medical professionals are once again faced with a lethal contagious disease that has been transmitted in the health care setting to both patients and providers. Because of the stigma and fear associated with the infection, civil rights legislation, such as the Americans With Disabilities Act, has been used to protect infected individuals from inappropriate discrimination based on unwarranted fears and public hysteria. Various courts, with the backing of organized medicine and the public health authorities, have made it clear that it is illegal for a physician to refuse to treat a patient based on the patient's seropositivity. Unfortunately, various courts, with the backing of the American Medical Association and the Centers for Disease Control and Prevention, have made it clear that infected physicians are not necessarily afforded equal protection under the civil rights statutes. *Arch Surg.* 2000;135:51-54

The acquired immunodeficiency syndrome (AIDS) and human immunodeficiency virus (HIV) infection have been part of the medical reality for physicians for the past 2 decades. Unfortunately, despite recent advances in antiretroviral therapy and prolonged, and in many cases, long-term survival of patients with AIDS, infection with HIV is essentially uniformly fatal. The severe consequences of infection coupled with its blood-borne mode of transmission have caused health care professionals to focus on the risks of transmitting the infection in the health care setting. Given the invasive nature of surgery, surgeons in particular have paid special attention to this topic both by individual action and by policy statements of major societies.

Much of the early attention was focused on the risk of transmission of the virus from the HIV-infected patient to the physician and the physician's duty to treat infected patients. In the post-Kimberly Bergalis climate, much of the attention has shifted to the transmission of the virus from the HIV-infected physician to the patient and the physician's right to con-

tinue practicing. This article reviews both issues in light of the medical data, ethical and policy pronouncements, and the Americans With Disabilities Act,<sup>1</sup> and concludes that infected patients have the right to be treated but that the rights of infected physicians are not necessarily afforded equal protection.

## PATIENT-TO-PHYSICIAN TRANSMISSION

An entire generation of physicians trained and practiced during the "Pax Antibiotica,"<sup>2</sup> a relatively unique period in time when physicians no longer were concerned about acquiring serious infections from their patients and even the risk of hepatitis B virus transmission was essentially ignored. This period ended with the widespread recognition in the early 1980s of AIDS and HIV infection. Physicians theoretically could acquire a lethal infection from treating patients. Within a few years, data emerged that the risk was not merely theoretical but actual and could be quantified. The Centers for Disease Control and Prevention (CDC) maintains a registry on probable occupational transmission of HIV, which includes more

From the Department of Medicine and Center for Medical Ethics and Health Policy, Baylor College of Medicine, Houston, Tex.

than 100 “possible” or “documented” cases.<sup>3</sup> Of note, very few of the cases involve surgeons; most of the cases are nonsurgical physicians and other health care workers. The rate of seroconversion has been estimated to be 1 in 330 needlesticks involving HIV-positive blood.<sup>4</sup> More recent data indicate that the rate of seroconversion can be reduced even further by postexposure prophylaxis with antiretroviral drugs.<sup>5</sup>

Physician response to this new threat varied from those who argued that patients were patients and that physicians had an obligation to assume some “reasonable” risk, to those who argued that physicians had the right to refuse to treat HIV-positive individuals. While overt public refusals to treat HIV-infected patients are relatively rare,<sup>6</sup> covert discrimination is not. Anecdotal examples include consultants who routinely perform invasive diagnostic tests who decide that radiological studies are adequate for HIV-infected patients, and surgeons who decide that the surgery is no longer indicated when the HIV antibody test is positive. More troubling are surveys that indicated that many physicians, if given the choice, would not treat infected patients.<sup>7</sup> Compounding the fear of contagion issue has been the societal stigma associated with HIV infection and AIDS, which has manifested itself in numerous ways including challenges to the public schooling of infected children and workplace and housing discrimination.

Initially, legal challenges to physician refusal to treat HIV-infected patients were curtailed by the standard in US case law of the “no duty rule.”<sup>8</sup> Barring a preexisting relationship, no physician has a duty to treat any particular patient. This freedom of choice for physicians has been supported over the years by organized bodies of medicine including the American Medical Association (AMA)<sup>9</sup> and the American College of Physicians.<sup>10</sup> In response to the absence of legal imperatives to compel treating infected individuals, much of the discussion of physicians treating infected patients centers on ethical arguments.

Many commentators including physicians, lawyers, ethicists, and philosophers have provided several compelling arguments for an individual physician duty to treat infected patients based on virtue theory and professionalism. One of the strongest arguments is that it is a professional obligation akin to firefighters and police officers who must accept some risk as a part of the profession but who have no obligation to take unreasonable risk.<sup>11</sup>

Organized bodies of medicine entered the debate to codify the ethical arguments. Such policy statements are important for 2 reasons. They represent to the lay public a consensus of organized medicine. Additionally, as noted herein, the courts often turn to such pronouncements to establish the standard of care. Since 1988, the AMA, through its Council on Ethical and Judicial Affairs, has concluded that:

A physician may not ethically refuse to treat a patient whose condition is within the physician’s current realm of competence solely because the patient is seropositive. Persons who are seropositive should not be subjected to discrimination based on fear or prejudice.<sup>12</sup>

Despite concerns from individual surgeons, the American College of Surgeons, since 1991, argued that: “Surgeons have the same ethical obligations to render care to HIV-infected patients as they have to care for other

patients.”<sup>13</sup> The American College of Physicians, the Infectious Diseases Society of America,<sup>14</sup> and the Association of American Medical Colleges<sup>15</sup> also took similar strong positions in support of a physician’s duty to treat infected individuals.

The main limitation of such statements is that they tend to reinforce the determination of physicians who are already treating infected individuals while doing little to change the behaviors of those who are not. Despite the ethical arguments and policy pronouncements, it was suggested that “thousands of physicians may be systematically avoiding or refusing to care for AIDS patients.”<sup>16</sup> In response to this concern, as well as general concerns that existing civil rights legislation did not adequately protect disabled individuals, Congress extended civil rights protection to HIV-infected individuals, as well as others with disabilities, with the passage of the Americans With Disabilities Act of 1990.

Civil rights legislation was first used to extend protection to the disabled with the passage of the Rehabilitation Act of 1973. Section 504 of that Act states that:

No otherwise qualified handicapped individual, shall, solely by reason of his handicap, be excluded from the participation in, be denied the benefits of, or be subjected to discrimination under any program or activity receiving federal financial assistance.<sup>17</sup>

The Act applies to nearly all hospitals because they receive federal funds, but it does not apply to individual physicians.

The linkage of such legislation to HIV infection was established in the early 1980s with several courts and state administrative agencies suggesting that a contagious disease such as AIDS should be considered a disability.<sup>18</sup> The question was essentially settled by the US Supreme Court in the 1987 *Arline* decision,<sup>19</sup> which concluded that a contagious disease, tuberculosis, was a handicap and that fear of contagion alone could qualify as a handicap under section 504. The Court did limit the protections afforded to infectious individuals by noting that a “significant risk” of transmitting the disease would make the person not “otherwise qualified.” The determination of “significant risk” was left to the “reasonable medical judgments of public health officials.”<sup>19</sup>

The passage of the Americans With Disabilities Act of 1990 further extended civil rights protections to disabled individuals. The intent of the Act, as noted by President Bush, was to eliminate discrimination against the disabled in “all aspects of American life.”<sup>20</sup> Title III of the Act notes that:

No individual shall be discriminated against on the basis of disability in the full and equal enjoyment of the goods, services, facilities, privileges, advantages, or accommodations of any place of public accommodation.<sup>21</sup>

As opposed to previous civil rights legislation, Congress intentionally included individual physicians under the Act by specifically including as a public accommodation the “professional office of a health care provider, hospital, or other similar service establishment.”<sup>21</sup>

Since the passage of the Act, several court decisions have established a duty on the part of individual health care

practitioners to not discriminate on the basis of infection with HIV and AIDS. In a recent case involving a dentist, the Supreme Court found that asymptomatic HIV infection alone was sufficient to trigger Americans With Disabilities Act protection for the patient.<sup>21</sup> Thus, a surgeon refusing to treat an infected patient, on the basis of the fear of disease transmission, could be subject to an injunction or significant civil penalties under an action brought by either the patient or the US Attorney General.<sup>22</sup>

The duty created under the Americans With Disabilities Act is not unlimited. Paralleling the language of the above-cited *Arline* decision, the Act carves out an exception when the “. . . individual poses a direct threat to the health and safety of others. The term ‘direct threat’ means a significant risk to the health and safety of others that cannot be eliminated by a modification of policies, practices, or procedures or by the provision of auxiliary aids or services.”<sup>21</sup> However, the above-noted public positions of the AMA and the American College of Surgeons, among others, that the risk of patient-to-physician transmission while using universal precautions, although real, is not significant, essentially eliminate this exception as a defense to not treating infected individuals.

#### PHYSICIAN-TO-PATIENT TRANSMISSION

While much of the initial attention was focused on patient-to-provider transmission of the virus, several commentators noted that blood-borne operative risks are a 2-way street and that surgeons frequently cut themselves during invasive procedures and thus could infect their patients. Much of the data came from reports of clusters of hepatitis transmission from infected surgeons to patients. Arguments were made for infected physicians to relinquish their practice of “seriously invasive procedures.”<sup>23</sup> The AMA went even further when it issued essentially a “zero-risk” policy. A 1988 opinion of the Council on Ethical and Judicial Affairs states that

in the special context of the provision of medical care, the Council believes that if a risk of transmission of an infectious disease from a physician to a patient exists, disclosure of that risk to patients is not enough; patients are entitled to expect that their physicians will not increase their exposure to the risk of contracting an infectious disease, even minimally . . . if a risk does exist, the physician should not engage in that activity.<sup>12</sup>

The relatively polite theoretical debate exploded in 1990 with the revelation that a Florida dentist, David Acer, may have infected 6 of his patients. One patient in particular, Kimberly Bergalis, launched a very public and emotional campaign, including testimony in Congress, to limit the practices of infected physicians. The public clearly supported such calls with polls indicating that a majority believed that infected physicians should not be allowed to practice. The Senate passed a bill criminalizing the practice of medicine by infected physicians, which included significant fines and jail sentences of up to 10 years. The legislation was ultimately defeated in the House of Representatives.<sup>24</sup>

In response to the public outcry, the CDC abandoned the policy that universal precautions were sufficient to protect patients and providers and issued new guide-

lines in July 1991, which established the concept of “exposure-prone” procedures and recommended that HIV-infected physicians should not perform such procedures.<sup>25</sup> The AMA again called for the limitation of practice and essentially a “zero-risk” threshold. The AMA stated that “physicians who are HIV positive have an ethical obligation not to engage in any professional activity which has an identifiable risk of transmission of the infection to the patient.”<sup>26</sup> The American Academy of Orthopaedic Surgeons recommended that infected surgeons should not perform certain procedures.<sup>27</sup> The American College of Surgeons took a different position. The College noted that

HIV-infected surgeons may continue to practice and perform invasive procedures unless there is clear evidence that a significant risk of transmission of infection exists through an inability to meet basic infection control procedures or unless the surgeon is functionally unable to care for patients.<sup>13</sup>

This position was reaffirmed in 1998 after the discovery of a probable case of orthopedic surgeon to patient transmission in France.<sup>28</sup>

Despite the public attention and fear, the data actually indicate that the risk of transmission from physician to patient is smaller, possibly significantly smaller, than the risk of transmission from patient to physician. The CDC has created a mathematical model estimating the risk of provider-to-patient transmission at between 1:42 000 and 1:420 000 per procedure.<sup>29</sup> A CDC registry of patients operated on by infected surgeons has not found any confirmed cases of physician-to-patient transmission in more than 22 000 cases.<sup>30</sup> One case of physician-to-patient transmission has recently been reported involving an orthopedic surgeon in France who apparently infected one patient during a hip surgery.<sup>31</sup> In addition to being exceedingly rare in current practices, suggestions have been offered to further reduce the likelihood of intraoperative infection.<sup>32</sup>

In theory, at least, it would appear that the Americans With Disabilities Act and the Rehabilitation Act should protect infected physicians from discriminatory actions based on their HIV positivity. According to public health authorities and various bodies of organized medicine, the risk of occupationally acquired seroconversion is not a significant enough risk to constitute a “direct threat” and therefore civil rights laws prohibit discrimination against an infected patient. However, it appears that despite the goal of the Americans With Disabilities Act to eliminate discrimination in all spheres of American life, similar treatment is not afforded to infected physicians in that a number of courts have ignored the “significant risk” standard and have imposed instead a standard intolerant of any risk.

In recent years, a number of lawsuits have been filed alleging patients have been harmed by the emotional distress of finding out that they have been operated on by an infected physician. In several of the cases, individual physicians and health care institutions have been held liable for damages if an infected surgeon operates, even if there is no transmission of the virus. In an often-cited case, *Faya v Almaraz*, patients who tested negative for HIV were allowed to recover monetary damages for the emotional distress of waiting for the results of an HIV test.<sup>33</sup>

In response to the public outcry and the fear of li-

ability created by decisions such as *Faya v Almaraz*, hospitals have revoked the privileges and in some cases terminated the employment of health care professionals. When these health care professionals have sought redress under relevant civil rights statutes such as the Americans With Disabilities Act, the Rehabilitation Act, or state-level civil rights statutes, courts have held that they are not protected by the statutes because they pose a "direct threat" to the health and safety of others. One early case involved an otolaryngologist who brought suit when he lost his hospital privileges after the Princeton Medical Center discovered that he was HIV positive and instituted a policy that prohibited physicians from performing procedures that pose "any risk of HIV transmission to the patient." The New Jersey Superior Court ruled in favor of the institution and established essentially a zero-risk policy.<sup>34</sup> Other courts have also held that infected health care workers were not protected by either the Americans With Disabilities Act or the Rehabilitation Act because of the risk of viral transmission, regardless of how remote.<sup>35-38</sup>

The results of such cases are not in keeping with the American College of Surgeons recommendations, and they also appear to violate the spirit, if not the letter, of the Americans With Disabilities Act. What is potentially most troubling is the nearly consistent reliance by the various courts on the 1991 CDC guidelines and the policy statement from the AMA on identifiable risk. The intent of extending civil rights protections to disabled individuals was to eliminate discriminatory treatment based on stereotypes, fear, and uncertainty. The statute specifically circumscribed the argument that an identifiable fear of harm could be the basis for disparate treatment by limiting it to only those situations where the individual posed a "direct threat." By advocating a standard based on any identifiable threat only in the case of an HIV-infected physician, the CDC and the AMA, with the acquiescence of several courts, have essentially turned back the clock and have subjected physicians to a discriminatory standard based on fear and hysteria.

The AMA and other advocates of the position that infected physicians should not perform invasive procedures base the argument on the fiduciary duty of the physician to the patient and the dictum to do no harm. However, death from a non-AIDS cause is as lethal as an AIDS-related death. If physicians truly have an obligation to not subject their patients to any identifiable risk, should we mandate random frequent drug testing of physicians and should we mandate periodic psychological screening with practice restrictions for depressed physicians? What about other potential conditions that could theoretically impair a physician's performance? What should be done about physicians learning new procedures given the existing literature on learning curves and differential mortality rates based on number of cases performed annually? Substance abuse, major depression, and lack of familiarity with particular procedures are all associated with identifiable risks to patients that likely exceed the risk of transmission of HIV to patients. As noted by the American College of Surgeons:

Present recommendations unsubstantiated by scientific data have created an unhealthy atmosphere of doubt in the minds of patients and the public regarding the problems of HIV transmission. Any

regulatory efforts by concerned bodies should be based solely on documented scientific data, not on unfounded hysteria.<sup>28</sup>

Reprints: Amir Halevy, MD, General Medicine Section, Ben Taub General Hospital, 1504 Taub Loop, Houston, TX 77030 (e-mail: ahalevy@bcm.tmc.edu).

## REFERENCES

1. The Americans With Disabilities Act of 1990. Pub L No. 101-336, 104 Stat 327.
2. Arras JD. The fragile web of responsibility: AIDS and the duty to treat. *Hastings Cent Rep.* 1988;18:10-19.
3. Centers for Disease Control and Prevention. *HIV/AIDS Surveillance Report*. Vol 6. Atlanta, Ga: Centers for Disease Control. 1995;No. 2:21.
4. Henderson DK, Fahey BJ, Willy M, et al. Risk for occupational transmission of human immunodeficiency virus type 1 (HIV-1) associated with clinical exposures. *Ann Intern Med.* 1990;113:740-746.
5. Public Health Service guidelines for the management of health-care worker exposures to HIV and recommendations for post-exposure prophylaxis. *MMWR Morb Mortal Wkly Rep.* 1998;47(RR-7):1-33.
6. Zinberg JM. AIDS: the duty to treat. *Mt Sinai J Med.* 1989;56:259-264.
7. Gerbert B, Maguire BT, Bleecker T, Coates TJ, McPhee SJ. Primary care physicians and AIDS: attitudinal and structural barriers to care. *JAMA.* 1991;266:2837-2842.
8. Annas GJ. Not saints, but healers: the legal duties of health care professionals in the AIDS epidemic. *Public Health Law.* 1988;78:844-849.
9. Council on Ethical and Judicial Affairs. *Code of Medical Ethics: Current Opinions With Annotations*. Chicago, Ill: American Medical Association; 1998.
10. American College of Physicians Ethics Manual. *Ann Intern Med.* 1998;128:576-594.
11. Bayer R. AIDS and the duty to treat: risk, responsibility, and health care workers. *Bull N Y Acad Med.* 1988;64:498-505.
12. Council on Ethical and Judicial Affairs, American Medical Association. Ethical issues involved in the growing AIDS crisis. *JAMA.* 1988;259:1360-1361.
13. American College of Surgeons. Statement on the surgeon and HIV infection. *Bull Am Coll Surg.* 1991;76:28-31.
14. Health and Public Policy Committee, American College of Physicians, and the Infectious Diseases Society of America. The acquired immunodeficiency syndrome (AIDS) and infection with the human immunodeficiency virus (HIV). *Ann Intern Med.* 1988;108:460-469.
15. Professional responsibility in treating AIDS patients. *J Med Educ.* 1988;63:589-590.
16. Clarke OW, Conley RB. The duty to "attend upon the sick." *JAMA.* 1991;266:2876-2877.
17. Stat 394, as amended, 29 USC, §794.
18. Gostin LO. The AIDS litigation project. *JAMA.* 1990;263:2086-2093.
19. *School Board of Nassau County v Arline*, 107 Sct 1123 (1987).
20. Signing Statement by President George Bush, Pub L No. 101-336, July 26, 1990.
21. *Bragdon v Abbott*, 118 Sct 2196.
22. Halevy A, Brody BA. AIDS and the Americans With Disabilities Act: a legal duty to treat. *Am J Med.* 1994;96:282-288.
23. Gostin LO. HIV-infected physicians and the practice of seriously invasive procedures. *Hastings Cent Rep.* 1990;19:32-39.
24. Glantz LH, Mariner WK, Annas GJ. Risky business: setting public health policy for HIV-infected health care professionals. *Milbank Q.* 1992;70:43-79.
25. Centers for Disease Control. Recommendations for preventing transmission of human immunodeficiency virus and hepatitis B virus to patients during exposure-prone invasive procedures. *MMWR Morb Mortal Wkly Rep.* 1991;40(RR-8):1-9.
26. *Statement on HIV Infected Physicians*. Chicago, Ill: American Medical Association; 1991.
27. American Academy of Orthopaedic Surgeons. *Advisory Statement on Orthopaedic Surgeons Who Test Positive for Human Immunodeficiency Virus*. Park Ridge, Ill: American Academy of Orthopaedic Surgeons; 1991.
28. American College of Surgeons. Statement on the surgeon and HIV infection. *Bull Am Coll Surg.* 1998;83:27-29.
29. Bell DM, Shapiro CN, Culver DH, Martone WJ, Curran JW, Hughes JM. Risk of hepatitis B and human immunodeficiency virus transmission to a patient from an infected surgeon due to percutaneous injury during an invasive procedure: estimates based on a model. *Infect Agents Dis.* 1992;1:263-269.
30. Robert LM, Chamberland ME, Cleveland JL, et al. Investigations of patients of health care workers infected with HIV. *Ann Intern Med.* 1995;122:653-657.
31. Lot F, Segulier JC, Fegueux S, et al. Probable transmission of HIV from an orthopedic surgeon to a patient in France. *Ann Intern Med.* 1999;130:1-6.
32. Geberding J. Provider-to-patient HIV transmission: how to keep it exceedingly rare. *Ann Intern Med.* 1999;130:64-65.
33. *Faya v Almaraz*, 620 A2d 327 (Md 1993).
34. *Estate of Behringer v Medical Center at Princeton*, 249 NJ Sup 597, 592 A2d 1251 (1991).
35. *Scoles v Mercy Health Corporation of Southeastern Pennsylvania*, 887 FSupp 765.
36. *Mauro v Borgess Medical Center*, Ct App (6th Cir), No. 95-1544 (February 25, 1998).
37. *Doe v Washington University*, 780 FSupp 628.
38. *Bradley v U of Texas MD Anderson Cancer Center*, 3 F3d 922.